

The Complete Commercial Pilot Workbook

Decision making and weather judgment

Four complete manuscript pages show the study pattern: decision-making concepts, personal-minimums discussion, four scenarios, ten practice questions with answers, and key takeaways.

Source and page map

Source: KDP_PRINT_BOOK_PUBLISHER_INTERIOR-3.docx. Supplied by the author on October 13, 2026. Rendered physical pages 30, 31, 32, 33 of 151. This sample adds this context page; the following source pages are reproduced without cropping or content changes.

The source pages have no visible printed page numbers. Page references count the first rendered page as page 1. Word and retail pagination may differ; this sample does not establish the identity of any current Amazon file.

Study context

The personal weather minimums are illustrative author examples, not recommended limits for your flight. Use current weather information, regulations, aircraft documents and instruction to make actual decisions.

Use these pages with your instructor, the current applicable FAA standards and references, and the actual aircraft POH/AFM. A workbook is a study supplement, not a substitute for instruction or approved operating procedures. No FAA endorsement or checkride result is promised.

Current references

[FAA Commercial Pilot Airman Certification Standards](#)

[FAA Risk Management Handbook](#)

[FAA Aeronautical Information Manual weather guidance](#)

Copyright 2026 Nick Rae. Reproduced with author permission.
nickrae.net/aviation-workbooks/commercial-pilot/

ADM: Aeronautical Decision-Making

ADM is the process of making sound decisions based on: - identifying hazards - assessing risk - choosing an action - reviewing the result

SRM: Single-Pilot Resource Management

SRM is how a single pilot manages available resources, including: - the airplane - automation - weather info - ATC - passengers - time - personal bandwidth

Simple commercial framing

ADM is how I decide. SRM is how I manage the tools and workload while carrying out that decision.

Now it sounds like English.

Risk management: what the examiner actually wants

The ACS does not just want correct facts. It wants evidence that you can identify, assess, and mitigate risk.

A practical risk-management answer has three parts

1. **identify the hazard**
2. **say why it matters**
3. **state the mitigation or refusal**

Example

Hazard: lowering ceilings at night over rising terrain **Why it matters:** fewer visual references, reduced diversion margin, higher CFIT risk **Mitigation:** delay, reroute, go IFR if properly equipped/current and conditions support it, or cancel

That is a complete answer.

Personal minimums: where professionalism shows up early

Personal minimums should not be random numbers you made up five minutes before the oral.

They should be based on: - recent experience - aircraft capability - terrain - forecast confidence - time of day - route complexity - mission pressure

Example of a useful answer

For a daytime VFR commercial flight in a light single, I might require at least a 2,500-foot ceiling, 5 miles visibility, and crosswinds within my recent proficiency. At night or in unfamiliar terrain, those minimums go up.

The exact numbers are less important than the logic behind them.

Key point

If you are rusty, tired, behind the airplane, or flying an unfamiliar aircraft, personal minimums should go **up**, not down.

Legal weather vs. acceptable weather

This is one of the most commercial ideas in the whole book.

A flight can be: - **legal** under the regulations - and still **unacceptable** based on risk

That can happen because of: - night conditions - terrain - fatigue - weak alternates - icing risk - turbulence risk - passenger pressure - low recent experience

Strong commercial answer

Legal weather means it meets the rule. Acceptable weather also accounts for aircraft capability, terrain, recent proficiency, mission pressure, and whether I still have margin if the forecast is wrong.

That is a checkride-quality answer.

Scenario corner

Scenario 1: Day VFR cross-country, lowering ceilings along the route

Question: Departure and destination are both legal VFR. Go?

Better answer: Not automatically. I want to know what the route is doing, whether ceilings are trending down, where my outs are, whether terrain or airspace creates a trap, and whether the trend suggests I am launching into a narrowing corridor.

Scenario 2: Night VFR over rising terrain

Question: Forecast is legal, but ceilings are lower than you like and alternates are weak.

Better answer: That is exactly the kind of flight I may decline even if it is technically legal. Night, terrain, and limited diversion options burn through margin fast.

Scenario 3: Moderate icing AIRMET, light single, visible moisture on route

Question: The freezing level is close to your planned altitude. What now?

Better answer: I would treat that as a serious threat. In a light airplane without known-icing approval, I am looking to avoid that environment, change timing or altitude only if it actually removes the risk, or cancel.

Scenario 4: Pressure to complete a flight for someone waiting on you

Question: What human factor is showing up?

Better answer: External pressure. That can distort my risk tolerance and make bad weather look more acceptable than it really is.

Practical traps to avoid

- Do not answer weather questions with only METARs and TAFs.
 - Do not act like a legal launch is automatically a good launch.
 - Do not pretend icing risk is manageable just because it is inconvenient to delay.
 - Do not separate the pilot's condition from the weather decision.
 - Do not give perfect-sounding personal minimums with no explanation behind them.
 - Do not talk about ADM like a laminated acronym collection.
-

Practice questions

1. What is a strong sequence for a weather briefing?

Answer: Start with the big picture, then move to route-specific weather, hazards, trends, and finally a go, delay, reroute, or no-go decision.

2. Why is a METAR alone not enough for planning?

Answer: Because it is only a current observation at one place and time, not a forecast of route or destination conditions when I arrive.

3. What is the difference between an AIRMET and a SIGMET?

Answer: An AIRMET warns of weather that may affect all aircraft, especially light aircraft, while a SIGMET warns of more serious hazardous conditions affecting all aircraft.

4. Why do PIREPs matter?

Answer: Because they provide real-world reports of actual conditions like icing, turbulence, and cloud tops that may confirm or challenge the forecast.

5. Why is a convective SIGMET especially important in a light airplane?

Answer: Because convective weather can create severe turbulence, hail, lightning, strong updrafts and downdrafts, and rapidly shrinking escape options.

6. Why is night VFR often riskier than daytime VFR even when legal?

Answer: Because visual cues are reduced, terrain and weather are harder to interpret, and diversion options may be much weaker.

7. What does IMSAFE help evaluate?

Answer: The pilot's fitness for flight, including illness, medication, stress, alcohol, fatigue, and emotion or eating issues.

8. What is external pressure?

Answer: A human-factor risk where schedule, passengers, expectations, or self-image push the pilot toward a worse decision.

9. What is the difference between ADM and SRM?

Answer: ADM is the decision-making process itself, while SRM is how a single pilot manages resources and workload while making and carrying out decisions.

10. What is the difference between legal weather and acceptable weather?

Answer: Legal weather meets the regulatory minimums, while acceptable weather also reflects aircraft capability, terrain, proficiency, forecast reliability, and overall risk margin.

Key takeaways

- The commercial standard is not weather recall. It is weather judgment.
 - Strong pilots start with the big picture and work toward an operational decision.
 - Human factors are not a side topic. They are often the hidden cause of bad flights.
 - Personal minimums should rise when margin shrinks.
 - A flight can be legal and still be a stupid idea.
 - Commercial judgment means being willing to disappoint a schedule instead of joining an accident report.
-